



# KARMA WHITE HV WF®

## **DESCRIPTION FORM**

The visible brickwork will be carried out in non-perforated, dipped, hand-moulded brick with distinctive nerve lines. The yellow basic brick it is immersed in a clay bath, which gives the entire surface of the brick a frost-resisting top layer in shaded white with full guarantee. The colour is shaded white grey. The bricks are suited for every building style and have the necessary properties required of contemporary facing bricks. In order to protect and guarantee their authenticity, the bricks are registered.

## KARMA WHITE HV WF®



## COMPOSED AFTER CE-COMPLIANT FACING BRICKS WITH THE FOLLOWING CHARACTERISTICS

Туре	Facing brick with a traditional appearance
Colour	shaded white
Format (mm)	WF 212/98/49
Number per m² (*)	74
Recommended masonry (**)	stretching bond
Number per pack / weight per pack (kg)	800/1250
Common brick category	I-HD
Size tolerance	T2
Class row	R1
Fire reaction / Euroclass	A1
Soluble salt content	S2
Efflorescence	no efflorescence
Durability / frost resistance	F2 highly frost resistant
Porosity (%)	<= 24
Average compressive strength (N/mm²)	>= 15
Thermal conductivity (W/mK)	0,37

The presented values and colours are approximate. To obtain the same colour  $over all\ in\ the\ brickwork, the\ bricks\ from\ different\ packs\ must\ be\ mixed\ together.$ Clay bricks may show some slight colour variation per production batch from previous batches. The manufacturer reserves the right to change the product range and the packaging.

<sup>(\*)</sup> Depending on the layer size used (\*\*) see also our installation method